

Appl. No. 10/026,179  
Amdt. dated February 25, 2004  
Reply to Office Action of November 25, 2003

---

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended) A method for preparing a pattern bonded and creped nonwoven web comprising
  - a) providing a nonwoven fibrous web having a first side and a second side, the nonwoven fibrous web comprises continuous thermoplastic fibers;
  - b) transferring and adhering the nonwoven fibrous web to a first roll, such that the first side of the nonwoven fibrous web faces the first roll;
  - c) bonding the nonwoven fibrous web transferred and adhered to the first roll by contacting the fibrous web with a second roll comprising a pattern, such that the nonwoven fibrous web is passed between a nip formed between the first roll and the second roll to form a bonded nonwoven web; and
  - d) removing the bonded nonwoven web from the first roll by creping the bonded nonwoven web from the first roll to produce a creped nonwoven web.
2. (original) The method of claim 1, wherein the nonwoven fibrous web is provided directly from the nonwoven fibrous web forming process.
3. (original) The method of claim 2, wherein the nonwoven fibrous web forming process is a spunbond process.
4. (original) The method of claim 2, wherein the nonwoven fibrous web forming process is a laminate process comprising at least one spunbond layer and at least one meltblown layer.
5. (original) The method of claim 1, wherein the nonwoven fibrous web is transferred and adhered to the first roll by applying an adhesive to the first roll, to the first side of the nonwoven web or to both the first side of the nonwoven web and the first roll.

Appl. No: 10/026,179

Amdt. dated February 25, 2004

Reply to Office Action of November 25, 2003

6. (original) The method of claim 5, wherein the adhesive is placed on the first roll by a method selected from the group consisting of printing, spraying and dipping.
7. (currently amended) The method of claim 5, wherein the adhesive is ~~place~~ placed on the first side of the nonwoven fibrous web by a method selected from the group consisting of printing, spraying and dipping.
8. (original) The method of claim 5, wherein the adhesive is a hot melt adhesive.
9. (original) The method of claim 1, wherein the nonwoven fibrous web comprises an adhesive component in a thermoplastic polymeric component of the thermoplastic fibers of the nonwoven fibrous web and the adhesive component adheres the nonwoven fibrous web to the first roll when the nonwoven web is transferred to the first roll.
10. (currently amended) The method of claim 1, wherein the second roll has a pattern of raised ~~portion~~ portions which contact the nonwoven fibrous web causing the nonwoven fibrous web to comprise interfiber bonds in the pattern of the raised portions.
11. (original) The method of claim 10, wherein the second roll has a pattern of discontinuous raised portions.
12. (original) The method of claim 11, wherein the second roll has a point bonded pattern.
13. (original) The method of claim 10, wherein the second roll has a pattern of continuous raised portions.
14. (original) The method of claim 1, wherein the first roll has a smooth surface.
15. (original) The method of claim 1, further comprising
  - e) transferring and adhering the second side of the nonwoven web to a third roll by contacting the second side of the nonwoven fibrous web with the third roll using an adhesive to adhere the second side of the nonwoven fibrous web to the third roll; and

Appl. No. 10/026,179

Amdt. dated February 25, 2004

Reply to Office Action of November 25, 2003

f) removing the nonwoven fibrous web adhered to the third roll by creping the nonwoven fibrous web from the third roll with a creping blade to produce a creped thermoplastic nonwoven web which is creped on both the first and second sides.

16. (original) The method of claim 15, wherein the adhesive is a hot melt adhesive.

17. (original) The method of claim 15, wherein the adhesive is placed on the third roll by a method selected from the group consisting of printing, spraying and dipping.

18. (currently amended) The method of claim 15, wherein the adhesive is ~~place~~ placed on the second side of the nonwoven fibrous web by a method selected from the group consisting of printing, spraying and dipping.

19. (original) The method of claim 9, further comprising

e) transferring and adhering the second side of the nonwoven web to a third roll by contacting the second side of the nonwoven fibrous web with the third roll; and

f) removing the nonwoven fibrous web adhered to the third roll by creping the nonwoven fibrous web from the third roll with a creping blade to produce a creped thermoplastic nonwoven web which is creped on both the first and second sides.

20. (original) The creped nonwoven web produced by the method of claim 1.

21. (original) The creped nonwoven web produced by the method of claim 10.

22. (original) The creped nonwoven web produced by the method of claim 15.

23. (original) The creped nonwoven web according to claim 20, wherein the nonwoven web is creped in the bond pattern of the bond roll.

24. (original) The creped nonwoven web according to claim 21, wherein the nonwoven web is creped in the bond pattern of the bond roll.

Appl. No. 10/026,179

Amdt. dated February 25, 2004

Reply to Office Action of November 25, 2003

25. (currently amended) The creped nonwoven web according to claim ~~[[ 20 ]]~~ 22, wherein the nonwoven web is creped in the bond pattern of the bond roll.